


FIG. 2



CLAIMS	Had and the cables of the connected and the connected and a seconnected of the conductor for one in the conductor for one
1G. 3	

Front Page/ Patent Search System		XO-
Front Page		[Guidance] Close
1 through 1 out of 1 Full Text Option PDF Mark All Clear	5	Change Display
No Checkbox Bibliography 1	Selected Figure	Keyword of Frequent Use optical element fit portion lens surface holding member astigmatic optical head information recording medium luminous flux main beam optical axis

FIG. 5A

	QUERY NO.	DATA TYPE	FIELD	SEARCH QUERY
	S001	CODE	IPC	@B61?+B60?
	S002	CODE	F-TERM	@2B041?+2B040?
	S003	TEXT	ABSTRACT	@?DELIVER? * ?CARGO?
7	7	ار بر	7	
	S200	• • •	• • •	•••

FIG. 5B

			_	<u>-</u>
QUERY NO.	HITS	DATA TYPE	FIELD	SEARCH QUERY
	132201	CODE	IPC	@B61?+B60?
S002	76	CODE	F-TERM	@2B041?+2B040?
S003	27	TEXT	ABSTRACT	@?DELIVER? * ?CARGO?
۲ م	7	٧	7	<u>.</u>
S200		•••	•••	• • •
	\$001 \$002 \$003	NO. HITS S001 132201 S002 76 S003 27	NO. HITS TYPE S001 132201 CODE S002 76 CODE S003 27 TEXT	NO. HITS TYPE FIELD S001 132201 CODE IPC S002 76 CODE F-TERM S003 27 TEXT ABSTRACT

FIG. 6A

	No.	CHECKBOX VALUE	DOCUMENT NUMBER	APPLICANT	IPC	KEYWORD OF FREQUENT USE
	1	0	U1994001066	Kinki ishiko Kabushiki Kaisha	B60S 9/20	RUN WIDTH/ WIDTH CONVERSION
	2	0	P1996223702	KINKI SHARYO KABUSHIKI KAISHA	B61 6/24	PANTOGRAPH COVER
	3	0	P1996318781	KABUSHIKI KAISHA KITAMURA SEISAKUSHO	B60P 7/06	CARGO/ COLLAPSE
1	. ~	, i	<u>,</u>	The state of the s	-	
\[5000	0		•••	•••	•••

FIG. 6B

	No.	CHECKBOX VALUE	DOCUMENT NUMBER	APPLICANT	IPC	KEYWORD OF FREQUENT USE
	1	0	U1994001066	KINKI ISHIKO KABUSHIKI KAISHA	B60S 9/20	RUN WIDTH/ WIDTH CONVERSION
	2	1	P1996223702	KINKI SHARYO KABUSHIKI KAISHA	B61 6/24	PANTOGRAPH COVER
	3	1	P1996318781	KABUSHIKI KAISHA KITAMURA SEISAKUSHO	B60P 7/06	CARGO/ COLLAPSE
1	<u>ب</u> ج	- 3	_ ~	· ·	ا م ا	<u> </u>
	5000	0	•••	•••	•••	•••

FIG. 7B


	•					
١	RANKING		IPC	Н	IT RATIO	
	1	1	361D	_	95. 9	
	2		B60S		87. 8	
	3		7.		77. 6	
	4	†	B6L	Ţ.	71. 4	
	5	+	B21B	1	57. 1	1
	1	4	<u></u>	7		个
	10		E1A		6. 1	
						

		•		
۲.	RANKING	F-TERM	HIT RATIO	
F	Vallant	2B041AA00	91.8	
+		2B041AA01	85. 7	
1	2	2B041AA02	75. 5	
,	3	2B041AA03	73. 5	
	4	2B041AA04	61. 2	
	5	200	4	Ĭ
	1	2B041AA09	10. 2	
	10	260417		

FIG. 70

۲	RANKING		ABSTRACT	HI	T RATIO	
ľ		-	LASER	_	87.8	ĺ
		+	CAR		83. 7	
	3	\dagger	CARGO TRUCK		69. 4	1
		+	FORK LIFT		65. 3	-
	4	\dagger	PROCESS		55. 1	1
	5	1		7	· 	7
	-	_	AXIS		8. 2	
	$\cdot \mid 1$	<u> </u>				

25	
1	
Listing Listing Intranet	
search Search	
in i	
System Iguidance IPersonal Menul Select a search database and input search conditions. JPO Patent Publication Database JPO Patent Publication Database Jete Row Clear Search Query Search Search	
IGuidance Iguidance base and input search condublication Database Output File Print Output	
IGuida search database and input search database and input search described by the search described by	
d inpututput	
sbase and input se publication Datab Publication Datab Output File @280417+28040? @280417+28040? @280417+28040?	
nt Pul	
search datal JPO Patent Field Field Frem Abstract	$\ $
M H-+-+-	
Patent Search System nt Search Select a School Solution Select a School Solution Sol	$\ \cdot \ $
	\parallel
Patent Search Search Search Search Search Search Sout Sout Sout Sout Sout Sout Sout Sout	\parallel
Patent Search Insert Row S002 S003 S004 S005 S005 S006 S006 S006 S006 S006 S006	9
Te le	






FIG. 10

